

Excellent Green

Excellent Green


EXCELLENT GREEN is a PVC homogeneous floorcovering in tile form with plain color design produced by high pressure impact process. Awarded with Thailand Green Label (TGL-71/2-12 Plastic Floor Covering), Excellent Green has minimum detrimental impact on the environment in comparison with other products serving the same function.

Place Recommended

Housing, Office Administration, Education, Retail



G-515



G-516



G-501



G-511



G-517



Size
457.2 X 609.6 mm.

Thickness
2.0 mm.*

Type
Tile (Rectangle)

Treatment
PUR

* MADE TO ORDER
Estimate Timing : 2 weeks

Shades and colors may vary slightly from actual tiles, please request actual sample from Marketing and Sales Department

Excellent Green

Excellent Green

EXCELLENT GREEN is a PVC homogeneous floorcovering in tile form with plain color design produced by high pressure impact process. Awarded with Thailand Green Label (TGL-71/2-12 Plastic Floor Covering), Excellent Green has minimum detrimental impact on the environment in comparison with other products serving the same function.

Place Recommended

Housing, Office Administration, Education, Retail




G-523



G-525



G-527



G-535



G-539



G-571



G-585



 *Size*
457.2 X 609.6 mm.

 *Thickness*
2.0 mm.*

 *Type*
Tile (Rectangle)

 *Treatment*
PUR

* MADE TO ORDER
Estimate Timing : 2 weeks

Shades and colors may vary slightly from actual tiles, please request actual sample from Marketing and Sales Department

EXCELLENT GREEN is a PVC homogeneous floorcovering in tile form with plain color design produced by high pressure impact process. Awarded with Thailand Green Label (TGL-71/2-12 Plastic Floor Covering), Excellent Green has minimum detrimental impact on the environment in comparison with other products serving the same function.



UNLIMIT YOURSELF

Please feel free to explode your creation and do not concern about a limitation of the green series. We are ready to support.

Installing

1. Preparing Subfloor



Hard, level, dry, smooth, sound and clean

2. Laying Method



2.1 Unpack tiles 24 hrs. before laying



2.2 Trace a line perpendicular to the main entrance. Ensure equal cuts of tiles at the room perimeter.



2.3 Apply adhesive to a few sq.m of subfloor in one quarter



2.4 Press each tile into position



2.5 Roll with 50kg roller

Maintenance

Initial Cleaning



Remove loose debris



Low speed cleaning machine

Protection



Apply wax

Daily Maintenance



Dry sweeping or remove dirt with a damp mop

Periodic Maintenance



High speed cleaning machine

For full specification, installation, and maintenance details, please refer to the handbook

EXCELLENT GREEN is a PVC homogeneous floorcovering in tile form with plain color design produced by high pressure impact process. Awarded with Thailand Green Label (TGL-71/2-12 Plastic Floor Covering), Excellent Green has minimum detrimental impact on the environment in comparison with other products serving the same function.



UNLIMIT YOURSELF

Please feel free to explode your creation and do not concern about a limitation of the green series. We are ready to support.

Installing

1. Preparing Subfloor



Hard, level, dry, smooth, sound and clean

2. Laying Method



2.1 Unpack tiles 24 hrs. before laying



2.2 Trace a line perpendicular to the main entrance. Ensure equal cuts of tiles at the room perimeter.



2.3 Apply adhesive to a few sq.m of subfloor in one quarter



2.4 Press each tile into position



2.5 Roll with 50kg roller

Maintenance

Initial Cleaning



Remove loose debris



Low speed cleaning machine

Protection



Apply wax

Daily Maintenance



Dry sweeping or remove dirt with a damp mop

Periodic Maintenance



High speed cleaning machine

For full specification, installation, and maintenance details, please refer to the handbook